

Health Monitoring Report Based on FELASA Recommendations



Envigo Production Hillcrest
Hillcrest
Dodgeford Lane
Belton
Loughborough
LE12 9TE

Location
Building 16 mouse

Species
Mouse

Date Populated
June 2024

Submission Date
August 28, 2024

Mouse Strains Held

Inbred Mice

BALB/cOlaHsd

C57BL/6JOlaHsd

DBA/1OlaHsd

DBA/2OlaHsd

FVB/NHan®Hsd

Outbred Mice

Hsd:ICR (CD-1®)

Han® is a trademark of Envigo, Inc., Indianapolis, Indiana, USA.

CD-1® is a registered trademark of Charles River Laboratories, Wilmington, Delaware, USA.

Summary of Findings

No significant findings.

Report Reference: 24-2322, Report Printed: September 06, 2024

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Health Monitoring Report Based on FELASA Recommendations



Facility	Location			Species		
Envigo Production Hillcrest	Building 16 mouse			Mouse		
Viruses	Test Frequency	Latest Test Date	Latest Results	Testing Laboratory	Test Method	Historical Results*
Ectromelia virus	3 months	28.08.24	0/1	UK	RT-PCR	0/43
Hantavirus	12 months	23.07.24	0/20	UK	ELISA	0/42
Lactate dehydrogenase elevating virus	12 months	23.07.24	0/20	UK	ELISA	0/42
Lymphocytic choriomeningitis virus	3 months	28.08.24	0/1	UK	RT-PCR	0/43
Minute virus of mice	1 month	28.08.24	0/1	UK	RT-PCR	0/408
Mouse adenovirus type 1 (MAd FL)	3 months	28.08.24	0/1	UK	RT-PCR	0/43
Mouse adenovirus type 2 (MAd K87)	3 months	28.08.24	0/1	UK	RT-PCR	0/43
Mouse cytomegalovirus	12 months	23.07.24	0/20	UK	Bead	0/42
Mouse hepatitis virus	1 month	28.08.24	0/1	UK	RT-PCR	0/408
Mouse K-virus	12 months	23.07.24	0/20	UK	ELISA	0/42
Mouse Norovirus	1 month	28.08.24	0/1	UK	RT-PCR	0/408
Mouse parvovirus	1 month	28.08.24	0/1	UK	RT-PCR	0/408
Mouse polyoma virus	12 months	23.07.24	0/20	UK	ELISA	0/42
Mouse rotavirus (EDIM)	1 month	28.08.24	0/1	UK	RT-PCR	0/408
Mouse thymic virus	12 months	23.07.24	0/20	UK	IFA	0/42
Pneumonia virus of mice	3 months	28.08.24	0/1	UK	RT-PCR	0/43
Reovirus type 3 (Reo 3)	3 months	28.08.24	0/1	UK	RT-PCR	0/43
Sendai virus	3 months	28.08.24	0/1	UK	RT-PCR	0/43
Theiler's murine encephalomyelitis	1 month	28.08.24	0/1	UK	RT-PCR	0/408
Bacteria, Mycoplasma and Fungi						
CAR Bacillus	12 months	23.07.24	0/20	UK	ELISA	0/42
<i>Citrobacter rodentium</i>	3 months	28.08.24	0/1	UK	RT-PCR	0/43
<i>Clostridium piliforme</i>	3 months	28.08.24	0/1	UK	RT-PCR	0/43
<i>Corynebacterium kutscheri</i>	3 months	28.08.24	0/1	UK	RT-PCR	0/43
<i>Helicobacter</i> spp	1 month	28.08.24	0/1	UK	RT-PCR	0/408
<i>Mycoplasma pulmonis</i>	3 months	28.08.24	0/1	UK	RT-PCR	0/43
<i>Pasteurella multocida</i>	1 month	28.08.24	0/1	UK	RT-PCR	0/408
<i>Pasteurella pneumotropica</i>	1 month	28.08.24	0/1	UK	RT-PCR	0/408
<i>Pneumocystis murina</i>	12 months	23.07.24	0/20	UK	RT-PCR	0/42
<i>Salmonella</i> spp	3 months	28.08.24	0/1	UK	RT-PCR	0/43
<i>Streptobacillus moniliformis</i>	3 months	28.08.24	0/1	UK	RT-PCR	0/43
<i>Streptococci Beta-haemolytic (group A)</i>	1 month	28.08.24	0/1	UK	RT-PCR	0/408
<i>Streptococci Beta-haemolytic (group G)</i>	1 month	28.08.24	0/1	UK	RT-PCR	0/408
<i>Streptococcus pneumoniae</i>	1 month	28.08.24	0/1	UK	RT-PCR	0/408
Parasites						
Ectoparasites	1 month	28.08.24	0/1	UK	RT-PCR	0/408
<i>Encephalitozoon cuniculi</i>	12 months	23.07.24	0/20	UK	ELISA	0/42
Endoparasites	1 month	28.08.24	0/1	UK	RT-PCR	0/408
Pathological Lesions						
External Necropsy	6 months	23.07.24	0/20	UK	Pathology	0/20
	6 months	23.07.24	0/20	UK	Pathology	0/20

Report Reference: 24-2322, Report Printed: September 06, 2024

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.