

Health Monitoring Report Based on FELASA Recommendations



Envigo Production Hillcrest
Hillcrest
Dodgeford Lane
Belton
Loughborough
LE12 9TE

Location

Building 27

Species

Rabbit

Date Populated

January 2008

Submission Date

October 21, 2024

Rabbit Strains Held

Rabbits

Hsdlf:NZW

Summary of Findings

No significant findings.

Stock rabbits are receiving a coccidiostat (robenidine hydrochloride, 66mg/Kg in the finished diet).

Report Reference: 24-2658, Report Printed: October 21, 2024

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Health Monitoring Report Based on FELASA Recommendations



Facility	Location			Species		
Envigo Production Hillcrest	Building 27			Rabbit		
Viruses	Test Frequency	Latest Test Date	Latest Results	Testing Laboratory	Test Method	Historical Results*
Rabbit haemorrhagic disease virus	1 month	07.10.24	0/10	UK	ELISA	0/180
Rabbit pox virus (Myxomatosis)	1 month	07.10.24	0/10	UK	ELISA	0/180
Rabbit Rotavirus	1 month	07.10.24	0/10	UK	ELISA	0/180
Bacteria, Mycoplasma and Fungi						
<i>Bordetella bronchiseptica</i>	1 month	07.10.24	0/20	UK	RT-PCR	0/300
<i>Clostridium piliforme</i>	1 month	07.10.24	0/10	UK	ELISA	0/180
Dermatophytes	12 months	06.08.24	0/10	UK	Culture	0/20
<i>Pasteurella multocida</i>	1 month	07.10.24	0/20	UK	RT-PCR	0/300
<i>Pasteurella pneumotropica</i>	1 month	07.10.24	0/20	UK	RT-PCR	0/300
<i>Salmonella</i> spp	3 months	07.10.24	0/10	UK	Culture	0/120
<i>Treponema cuniculi</i>	12 months	06.08.24	0/10	UK	HAI	0/60
Parasites						
Ectoparasites	1 month	07.10.24	0/20	UK	RT-OCR	0/300
<i>Encephalitozoon cuniculi</i>	1 month	07.10.24	0/10	UK	ELISA	0/180
Endoparasites	1 month	07.10.24	0/40	UK	Microscopy	0/660
Pathological Lesions						
External	6 months	06.08.24	0/10	UK	Pathology	0/30
Necropsy	6 months	06.08.24	0/10	UK	Pathology	0/30

Report Reference: 24-2658, Report Printed: October 21, 2024

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.