

# Health Monitoring Report Based on FELASA Recommendations



Envigo Production Hillcrest  
Hillcrest  
Dodgeford Lane  
Belton  
Loughborough  
LE12 9TE

## Location

Building 27

## Species

Rabbit

## Date Populated

January 2008

## Submission Date

August 06, 2024

## Rabbit Strains Held

### Rabbits

Hsdlf:NZW

## Summary of Findings

No significant findings.

Stock rabbits are receiving a coccidiostat (robenidine hydrochloride, 66mg/Kg in the finished diet).

### Report Reference: 24-1987, Report Printed: August 23, 2024

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Health Monitoring Report Based on FELASA Recommendations



Facility	Location			Species		
Envigo Production Hillcrest	Building 27			Rabbit		
Viruses	Test Frequency	Latest Test Date	Latest Results	Testing Laboratory	Test Method	Historical Results*
Rabbit haemorrhagic disease virus	1 month	06.08.24	0/10	UK	ELISA	0/190
Rabbit pox virus (Myxomatosis)	1 month	06.08.24	0/10	UK	ELISA	0/190
Rabbit Rotavirus	1 month	06.08.24	0/10	UK	ELISA	0/190
Bacteria, Mycoplasma and Fungi						
<i>Bordetella bronchiseptica</i>	1 month	06.08.24	0/10	UK	Culture	0/310
<i>Clostridium piliforme</i>	1 month	06.08.24	0/10	UK	ELISA	0/190
Dermatophytes	12 months	06.08.24	0/10	UK	Culture	0/20
<i>Pasteurella multocida</i>	1 month	06.08.24	0/10	UK	Culture	0/310
<i>Pasteurella pneumotropica</i>	1 month	06.08.24	0/10	UK	Culture	0/310
<i>Salmonella</i> spp	3 months	06.08.24	0/10	UK	Culture	0/130
<i>Treponema cuniculi</i>	12 months	06.08.24	0/10	UK	HAI	0/70
Parasites						
Ectoparasites	1 month	06.08.24	0/10	UK	Microscopy	0/310
<i>Encephalitozoon cuniculi</i>	1 month	06.08.24	0/10	UK	ELISA	0/190
Endoparasites	1 month	06.08.24	0/30	UK	Microscopy	0/690
Pathological Lesions						
External	6 months	06.08.24	0/10	UK	Pathology	0/40
Necropsy	6 months	06.08.24	0/10	UK	Pathology	0/40

**Report Reference: 24-1987, Report Printed: August 23, 2024**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.