

# Health Monitoring Report Based on FELASA Recommendations



Envigo RMS (UK-Blackthorn) Ltd Station Road Blackthorn Bicester OX25 1TP UK	<b>Location</b>	<b>Species</b>
	G Block	Rat
	<b>Date Populated</b>	<b>Submission Date</b>
	May 2004	July 01, 2024

## Rat Strains Held

### Inbred Rats

BN/RijHsd

DA/OlaHsd

LEW/Han®Hsd

LEW/SsNHsd

WKY/NHsd

### Outbred Rats

Hsd:Sprague Dawley®SD®

HsdCpb:WU

HsdOla:LH

RccHan®:WIST

Sprague Dawley® and SD® are U.S. registered trademarks of Envigo, Inc., Indianapolis, Indiana, USA, and trademarks of Envigo, Inc., in the United Kingdom.

Han® is a trademark of Envigo, Inc., Indianapolis, Indiana, USA.

## Summary of Findings

No significant findings.

**Report Reference: 24-1701, Report Printed: July 18, 2024**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

# Health Monitoring Report Based on FELASA Recommendations



Facility	Location			Species		
Envigo RMS (UK-Blackthorn) Ltd	G Block			Rat		
Viruses	Test Frequency	Latest Test Date	Latest Results	Testing Laboratory	Test Method	Historical Results*
Hantavirus	3 months	07.05.24	0/12	UK	ELISA	0/108
Kilham rat virus	1 month	03.06.24	0/40	UK	RT-PCR	0/598
Lymphocytic choriomeningitis virus	12 months	07.08.23	0/15	UK	ELISA	0/15
Mouse adenovirus type 1 (MAd FL)	3 months	07.05.24	0/12	UK	ELISA	0/108
Mouse adenovirus type 2 (MAd K87)	3 months	07.05.24	0/12	UK	ELISA	0/108
Pneumonia virus of mice	1 month	03.06.24	0/40	UK	RT-PCR	0/598
Rat minute virus	1 month	03.06.24	0/40	UK	RT-PCR	0/598
Rat parvovirus	1 month	03.06.24	0/40	UK	RT-PCR	0/598
Rat Theilovirus	1 month	03.06.24	0/40	UK	RT-PCR	0/598
Reovirus type 3 (Reo 3)	3 months	07.05.24	0/12	UK	ELISA	0/108
Sendai Virus	3 months	07.05.24	0/12	UK	ELISA	0/108
Sialodacryoadenitis virus	1 month	03.06.24	0/40	UK	RT-PCR	0/598
Toolan's H-1	1 month	03.06.24	0/40	UK	RT-PCR	0/598
Bacteria, Mycoplasma and Fungi						
<i>Bordetella bronchiseptica</i>	3 months	01.07.24	0/20	UK	RT-PCR	0/258
CAR Bacillus	3 months	07.05.24	0/12	UK	ELISA	0/108
<i>Clostridium piliforme</i>	1 month	03.06.24	0/40	UK	RT-PCR	0/598
<i>Corynebacterium kutscheri</i>	12 months	07.08.23	0/15	UK	Culture	0/15
<i>Helicobacter</i> spp	1 month	03.06.24	0/40	UK	RT-PCR	0/598
<i>Mycoplasma pulmonis</i>	1 month	03.06.24	0/40	UK	RT-PCR	0/598
<i>Pasteurella multocida</i>	1 month	01.07.24	0/20	UK	RT-PCR	0/748
<i>Pasteurella pneumotropica</i>	1 month	01.07.24	0/20	UK	RT-PCR	0/748
<i>Pneumocystis carinii</i>	3 months	07.05.24	0/12	UK	RT-PCR	0/108
<i>Salmonella</i> spp	3 months	01.07.24	0/20	UK	Culture	0/258
<i>Streptobacillus moniliformis</i>	3 months	01.07.24	0/20	UK	RT-PCR	0/258
<i>Streptococci Beta-haemolytic (group A)</i>	1 month	01.07.24	0/20	UK	Culture	0/748
<i>Streptococci Beta-haemolytic (group G)</i>	1 month	01.07.24	0/20	UK	Culture	0/748
<i>Streptococcus pneumoniae</i>	1 month	01.07.24	0/20	UK	Culture	0/748
Parasites						
Ectoparasites	1 month	01.07.24	0/20	UK	RT-PCR	0/748
Endoparasites	1 month	01.07.24	0/20	UK	RT-PCR	0/748
Pathological Lesions						
External	6 months	07.05.24	0/12	UK	Pathology	0/78
Necropsy	6 months	07.05.24	0/12	UK	Pathology	0/78

**Report Reference: 24-1701, Report Printed: July 18, 2024**

Data are expressed as number positive/number tested. \*Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.